**JAN 0 5** 2004

BEST AVAILABLE COPY

JECA.



# UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
P.O. BOX I 450
ALEXANDRIA, VA 22313-1450
www.uspto.gov

# The state of the s

Cate: 05 Jan 2004				
¹lo₃ Donna M. Ferber	From: Malgorzata A. Walicka			
pplication/Control Number: 09/724,296	Art Unit: 1652			
ac No.: (703)872-9307	Phone No.: (703) 305-7270			
l'oice No.: (303) 499-8080	Return Fax No.: (703)305-3014			
( Nex	CC			
Urgent For Review For Comm	nent For Reply Per Your Request			
Comments: Dear Ms. Ferber:				
Please find enclosed the copy of the last Office Action	n in the above captioned case.			
Sincerely				
V. A. Walicka				

# Number of pages 17 including this page

#### STATEMENT OF CONFIDENTIALITY

This facsimile transmission is an Official U.S. Government document which may contain information which is privileged and confidential. It is intended only for use of the recipient named above. If you are not the intended recipient, any dissemination, istribution or copying of this document is strictly prohibited. If this document is received in error, you are requested to immediately notify the sender at the above indicated telephone number and return the entire document in an envelope addressed to:

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

	Application No.	Applicant(s)						
	09/724,296	DOETSCH ET AL.						
Office Action Summary	Examiner	Art Unit						
	Malgorzata A. Walicka	1652						
· The MAILING DATE of this communication app	pears on the cover sheet with the	correspondence address ~						
Period for Reply	ALLO ALT TA CVINIDE AMANTU	I/C) EDOM						
A SHO RENED STATUTORY PERIOD FOR REPL THE IT. ALLING DATE OF THIS COMMUNICATION.  - Exter stims of time may be available under the provisions of 37 CFR 1.1 after 3. (6) MONTHS from the mailing date of this communication.  - If the 20 riod for reply specified above is less than thirty (30) days, a repl - If NC princid for reply is specified above, the maximum statutory period - Failly 8. (2) received by the Office later than three months after the mailine earn 2. (2) atent term adjustment. See 37 CFR 1.704(b).  Status	138(a). In no event, however, may a reply be to ly within the statutory minimum of thirty (30) do will apply and will expire SIX (6) MONTHS from a cause the applicant to begone ABANDON	imely filed  ays will be considered timely,  in the mailing date of this communication.  ED (35 U.S.C. § 133).						
1) esponsive to communication(s) filed on 09 C	October 2003.							
2a)☐ "his action is FINAL. 2b)⊠ This	action is non-final.							
3) ince this application is in condition for allowance except for formal matters, prosecution as to the merits is losed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.								
Disposit on of Claims								
4) Alaim(s) 21-25 is/are pending in the application displayed by the above claim(s) is/are withdra 5) Alaim(s) is/are allowed.  6) Alaim(s) 21-25 is/are rejected.  7) Alaim(s) is/are objected to.  8) Alaim(s) are subject to restriction and/o	own from consideration.							
Application Papers	•							
9) The specification is objected to by the Examine	er.							
10) he drawing(s) filed on is/are: a) acc								
applicant may not request that any objection to the								
Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the E								
11) he oath or declaration is objected to by the E Priority under 35 U.S.C. §§ 119 and 120	xammer, Note the attached Offic	e Action of John F 10-132.						
12) Acknowledgment is made of a claim for foreig	n priority under 35 U.S.C. § 119(	(a)-(d) or (f).						
1. Certified copies of the priority documen								
2. Certified copies of the priority document 3. Copies of the certified copies of the priority document 3.								
application from the International Burea	u (PCT Rule 17.2(a)).							
* See the attached detailed Office action for a list								
13) #cknowledgment is made of a claim for domest since a specific reference was included in the fir 3" CFR 1.78.								
The translation of the foreign language pro								
14) A cknowledgment is made of a claim for domest a ference was included in the first sentence of the								
Attachme (L.(s)								
1) No ica of References Cited (PTO-892)		y (PTO-413) Paper No(s)						
2) No i: a of Draftsperson's Patent Drawing Review (PTO-948) 3) Inf a nation Disclosure Statement(s) (PTO-1449) Paper No(s)		Patent Application (PTO-152) per by Kanno et al						
U.S. Patent an is 3demark Office	ction Summary	Part of Paper No. 20031229						

Page 2

Ar ...Init: 1652

The Amendment under 37 C.F.R. 1.111 filed on October 9, 2003 is at Innowledged. Claims 21-23 and 25 are amended. Claims 21-25 are pending in the application and are the subject of this Office Action.

#### Office Action

#### 1 Objections

A claim 21 is objected to because of the typographical error. Line 8 contains two articles "an a".

#### 1. Rejections

#### 1.1. 35 USC section 102

#### Rejection withdrawals

Rejection of Claim 25 under 35 U.S.C. 102(b) as being anticipated by Yajima et (The EMBO Journal 1995, 14, 2393-2399) made in the previous Office Action is withdrawn, because the Applicants arguments are found persuasive. Yajima et al.'s emzyme and assay have not been applied to DNA lesions recited by claim 25.

Rejection of claim 25 under 35 U.S.C. 102(b) as being anticipated by PCT iblication WO 99/04626 (WO) issued on February 4 1999; inventor/applicant Ballacosa A. et al. is withdrawn because the claim has been amended by addition of a : ovision.

Rejection of Claims 21, 22 and 24 under 35 U.S.C. 102(b) as being anticipated Takao et al. (Nucleic Acid Res. 1996, 24, 1267-1271) is withdrawn because the

Ar : ication/Control Number: 09/724,296

Ar 13nit: 1652

chims have been amended and the method uses the enzyme that is at least 90% purified, whereas the prior art teaches the method wherein the enzyme was only 35% pare.

## Examiner's response to the Applicants traverse

Although the rejection is withdrawn the examiner addresses below the traverse of the 102 rejection made in the current Remarks, page 4, line 18:

"The cited reference [Takao et al.'95] does not teach a truncated Uvelp protein which exhibits stability and high enzymatic activity in a substantially purified state."

Applicants' argument has been fully considered, but is found not persuasive. It kao et al. cloned the gene of *S. pombe* UVDE endonuclease of which amino acids 1:9-599 are identical to SEQ ID NO: 4 of the instant application. Takao et al. showed 1: at the enzyme is specific for pyrimidine dimers and 6-4 photoproducts. Takao et al. 3: so demonstrated that truncation of the endonuclease up to 232 amino acid from the N-terminus does not influence the endolytic activity of the enzyme on UV irradiated DNA. Takao et al. expressed the protein consisting of amino acid 230-599 in *E. coli* and turther used the truncated protein for incision of the UV irradiated DNA. Takao et al. experienced difficulties with purification of the yeast protein expressed in *E. coli*, whereas Applicants, who used as a host *S. cerevisiae* and expression of the truncated IVDE gene in frame with a glutathione-S-transferase leader sequence, a method soutinely used in biotechnology for the expression and purification of a stable protein,

Ap : ication/Control Number: 09/724,296

Ar Hnit: 1652

will e successful in purification of the expressed protein to apparent electrophoretic homogeneity.

In conclusion, Takao at al. used the same method and the same enzyme as claimed in claims 21, 22 and 24 of the instant application. Takao et al. produce the enzyme in E. coli host cell comprising the gene encoding full enzyme or truncated enzyme consisting of amino acids 230-599. Although Takao at al. used in the same method the enzyme that was not 100% pure its endonucleolytic activity was directed to the UV irradiated DNA containing CPD and 6-4 PP. The fact is that the enzyme () oduct) and the method of use of said product to the UV irradiated DNA containing photoproducts were taught by Takao et al. two years before Applicants filled, on June 8, 1998, the provisional application No. 60/088521, of which instant application claims benefit.

It is also worth mentioning in this context that Freyer G. A. et al. (An alternative caryotic DNA excision repair pathway, Mol. Cell. Biol. 1995, 15, 4572-4577), used caude extracts of S. pombe UVDE, whose amino acid sequence was unknown at that the fire, for incision in vitro of double stranded DNA containing cyclobutane pyrimidine dimers and 6-4 pyrimidine pyrimidones. Thus, the enzyme exhibits its activity in crude stracts, i.e., not purified. Therefore the purification is not a characteristic pertinent to specific activity.

Applicants in their Remarks, page 4 line 15 write, "Importantly, and surprisingly, the truncated Uvelp proteins [protein] or Uvelp

Page 5

Ar Unit: 1652

fruition proteins of the present invention are stable upon purification and retain enzymatic activity when substantially parified."

This argument is not found persuasive, as the claim is not directed to a method applying the truncated enzyme purified by a novel method. The expression of a protein or interest in frame with GST and the subsequent purification on glutathione containing the truncated enzyme purified by a novel method. The expression of a protein or interest in frame with GST and the subsequent purification on glutathione containing the truncated enzymes that the subsequent purification of large quantities of enzymes that are stable after this purification.

Further, on page 5, Applicants argue, "Moreover, the cited reference [1:kao] does not each [teach] endonuclease activity on all the types distorted DNA as taught in the present case."

Indeed, that is why the examiner does not reject the use of truncated S. pombe III/DE according to its novel activities disclosed by Applicants. The novel endolytic distriction are directed towards following lesions: Dewar isomer of 6-4 photoproduct, apurinic site, uracil, dihydrouracil (not recited by the claims), phatinum-DNA GG diadduct, mismatched nucleotide, and loop of less than 5 purcleotides.

#### ! 2. 35 USC section 103

Claims 21-24 are rejected under 35 U.S.C. 102(b) as being anticipated by Takao al. (Nucleic Acid Res. 1996, 24, 1267-1271) in view of Ford et al. (Fusion Tails for

Apr: ication/Control Number: 09/724,296

Ar Unit: 1652

the Recovery and Purification of Recombinant Proteins, Protein expression and purification, 1991, 2, 95-107.

Claims 21-22 and 24 are directed to the method for cleavage of a double—similar double—similar distorted by UV irradiation, a photoproduct, when the cleavage enzyme is set forth by SEQ ID NO: 4 consisting of truncated *S. pombe* UVDE endonuclease amino acids residues 230-823 and when the enzyme is at least 90% pure.

Claim 23 is directed to the method for cleavage of a double-stranded DNA replecule containing a distorted structure wherein the distortion is caused by UV implication, a photoproduct, when the cleavage enzyme is set forth by SEQ ID NO: 6 consisting of glutathione-S-transferase leader followed by amino acids residues 230-838 of S. pombe UVDE endonuclease, i.e. a fusion of GST and truncated sequence and 50 pombe UVDE endonuclease.

Takao et al. cloned *S. pombe* UVDE endonuclease gene consisting of 599 amino acids, identical to amino acids 230-828 of SEQ ID NO: 2 of the instant application. Takao et al. teach the method of incision of double stranded DNA distorted by irradiation with UV, containing 6-4 photoproduct and cyclobutane pyrimidine dimers, using their UVDE endonuclease, page 1268, left column; see subtitles *Plasmid nicking* areay and *Incision assay using synthetic oligonucleotides*. Takao et al. expressed the page 1259 in *E. coli* and purified it using as the first step heparin-Sepharose column and albsequently blue-Sepharose, page 1269, left column, line 11. However, they experienced difficulties in purification of a stable protein from *E. coli*. Takao et al. also

Page 7

Ar Unit: 1652

reported successful expression of UVDE gene in S. cerevisiae; page 1271, right culumn, line 20.

Takao et al. do no teach, however, how to efficiently recover and purify the UNDE enzyme expressed in any microorganism.

Ford et al. teach that making a fusion protein consisting of glutathione-S-transferase tail (GST) and an enzyme of interest, page 96, right column, line 29, enables efficient recovery and purification using the affinity column containing immobilized glutathione. The GST can be subsequently cleaved out of the enzyme by thombin, if the fusion protein is not active.

It would have been obvious to one having ordinary skill in the art at the time of invention to have the method of DNA cleavage of Takao et al. and to modify the expression and purification of UVDE endonuclease as taught by Ford.

The motivation for the modification would be to have a large quantity of pure and stable enzyme necessary for the method. The motivation is provide by Ford et al. who make, "On a lab scale, fusion tail recovery systems are powerful and elegant tools for the —step recovery and purification of recombinant proteins or identification of proteins and coded by cloned cDNAs. On an industrial scale, fusion tail technology can be used in the recovery and purification of both higher-cost pharmaceuticals and lower-to medium —cost enzymes."

The expectation of success in obtaining stable and pure truncated S. pombe ... VDE is very high because of well-developed and routine use of the glutathione-S-

Page 8

Ar Unit: 1652

transferase fusion protein, which may be used with (SEQ ID NO: 4) or without cleavage (§ EQ ID NO: 6) of the GST leader by trypsin.

Thus, the claimed invention was within the ordinary skill in the art to make and use at the time it was made, and was as a whole prima facie obvious.

## Fesponse to Applicants' traverse

In their Remarks, page 9, line 12, Applicants traverse this rejection stating, "liere is nothing that suggests that this approach, specifically the GST approach, would allow the purification of a truncated CDE that is stable."

Applicants' argument has been fully considered, but is found not persuasive. I stly, Takao et al.'s problem with purification of the S. pombe UVDE was related to the fall length as well as truncated form of the enzyme, so the question was not to obtain a founcated UVDE that is stable, but a stable and purified S. pombe UVDE. The GST ्पाproach that was used in the instant application is the most popular way of expressing and purifying proteins of interest. Other approaches using heterologous protein Ifferent from GST are also very efficient in obtaining a stable S. pombe UVDE. See, er example, Kanno et al. (Repair of apurinic/apirimidinic sites by UV damage : ndonuclease; a repair protein for UV and oxidative damage, Nucleic Acid Research, 1999, 27, 3096-3103). Kanno et al. expressed S. pombe UVDE in E. coli as a escombinant protein containing maltose-binding protein. This enzyme was than purified

Page 9

At Jnit: 1652

on amylose column; see "Materials" and Methods", subtitle Enzymes and Chemicals;

convendosed.

2 3 35 USC, section 112, first paragraph

The following is a quotation of the first paragraph of 35 U.S.C. 112:

best mode contemplated by the inventor of carrying out his invention.

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the

2.3.1. Lack of written description- new rejection

Claims 21-24 are rejected under 35 U.S.C. 112, first paragraph, as containing to bject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the amplication was filed, had possession of the claimed invention.

The claims are directed to the method for cleavage of a double stranded DNA implecule containing a platinum diadduct, intercalated molecule or alkylation of a incleotide, wherein the cleaving enzyme is truncated S. pombe UVDE. The claims are lirected to a genus of methods of cleaving double stranded DNA containing a genus of INA lesions comprising the following subgenera:

- a platinum diadduct,
- an intercalating molecule, and

Page 10

Ar Unit: 1652

c) alkylation of a nucleotide.

Neither the subgenera of lesions nor the specific activity of the S. pombe trancated UVDE directed to these subgenera of lesions are sufficiently described.

The disclosure teaches that the truncated S. pombe UVDE endonuclase is specific towards one form of platinum diadduct, platinum-DNA GG diadduct, however, the specification fails to teach that the enzyme is active towards other platinum -DNA diadducts.

The disclosure is silent as to any intercalating molecule, which, when intercalated into the double stranded DNA, is recognized by the truncated S. pombe UVDE endonuclase. This is a complete lack of written description.

The disclosure is silent as to any alkylation of a nucleotide which is recognized to the truncated S. pombe UVDE endonuclase. This is a complete lack of written description.

Given the lack of disclosure of activities of truncated S. pombe UVDE towards contain lesions as stated above, Applicants have failed to sufficiently describe the revention of claim 21-24 in such full, clear, concise and exact terms that a skilled artisan about recognize Applicants were in possession of the claimed invention when the application was filed.

Claim 25 is rejected under 35 U.S.C. 112, first paragraph, as containing subject atter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application has filed, had possession of the claimed invention.

Ar Unit: 1652

Page 11

The claim is directed to a genus of methods for cleavage of a double stranded DNA molecule containing lesions wherein the cleaving enzymes are set forth by SEQ ID NO: 36 (Neurospora crassa UVDE), SEQ ID NO: 37 (Bacillus subtilis homolog of UNDE), SEQ ID NO: 38 (Homo sapiens MED1 endonuclease specific for repair of the mismatched nucleotides) and SEQ ID NO: 39 (Deinococcus radiodurans homolog of UNDE). The claim is directed to a genus of methods of cleaving double stranded DNA containing a genus of DNA lesions comprising the following subgenera:

- a) an abasic site,
- t) mismatched nucleotide pairing,
- c) a platinum diadduct,
- an insertion deletion loop,
- alkylation of a nucleotide, and
- the presence of uracil residue.

the the provisio that when the endonuclease comprises the amino acid sequence of SEQ ID NO: 38, the distorted structure does not result from mismatched nucleotides.

The specification fails to teach that the polypeptides set forth by SEQ ID NOs: 19-39 have endonucleolytic activity directed to the lesions a) - f) above. The isclosure teaches the specificity of S. pombe UVDE, or its truncated form, towards an enastic site, mismatched nucleotide, platinum-DNA GG diaduct, an insertion deletion cop of less than 5 nucleotides, uracil and diuracil. Thus, claim 25 suffers from a emplete lack of written description regarding the claimed specificities of polypeptides of SEQ ID NO: 36-39. The examiner emphasizes that this is not the lack of enablement,

Ar | Init: 1652

Page 12

because on skilled in the art, using the guidance given by the specification, could determine whether polypeptides of SEQ ID NO: 36-39 have the endolytic activities directed to lesion listed under a) -- d) and f).

In addition, the provisio "when the endonuclease comprises the amino acid sinuence of SEQ ID NO: 38, the distorted structure does not result from mismatched nucleotides" is a new matter. No such provision was made in the specification and calims as originally filed.

Furthermore, the disclosure teaches how to measure specificity toward only one, and not any, platinum diadduct, i.e., towards platinum-DNA GG diadduct. The specification does not teach and does not provide evidence that any of the enzymes of SHQ ID NOs:36-39 have the activity towards any alkylated nucleotide, thus the claim is completely lacking written description.

Given the lack of disclosure activities of the enzymes towards certain lesions as thated above, Applicants have failed to sufficiently describe the invention of claim 25 in the chart of the claim of t

### 3.2. Lack of enablement -new rejection

Claim 21-25 are rejected under 35 U.S.C. 112, first paragraph, as containing subject matter which was not described in the specification in such a way as to enable the skilled in the art to which it pertains, or with which it is most nearly connected, to take and/or use the invention.

Ar Unit: 1652

Page 13

The claims are directed to the method for cleavage of a double – stranded DNA molecule containing any alkylation of a nucleotide or/and to the method for cleavage of double-stranded DNA molecule containing any intercalated molecule. The specification, however, fails to teach any DNA lesion which is an alkylation of a nucleotide or any DNA lesion which is caused by intercalation of any DNA intercalating molecule. For that reason, the specification fails to teach that any of the enzymes, SEQ ID NOs: 4, 6, and 36-39 has an activity toward said lesions. Therefore, to make and use the claimed intention undue experimentation is necessary.

Factors to be considered in determining whether undue experimentation is required, are summarized *In re* Wands [858 F.2d 731, 8 USPQ 2nd 1400 (Fed. Cir. 888)]. The Wands factors are: (a) the quantity of experimentation necessary, (b) the mount of direction or guidance presented, (c) the presence or absence of working example, (d) the nature of the invention, (e) the state of the prior art, (f) the relative skill of those in the art, (g) the predictability or unpredictability of the art, and (h) the breadth of the claim.

The nature and breadth of the claimed invention encompasses a genus of ethods for cleavage a damaged DNA molecule by six enzymes, when the scope of the nemical lesions encompasses any alkylation of a nucleotide out of large number of nown and thus far unidentified alkylations, as well as any lesion caused by tercalation of any out of a large number of known and unidentified intercalating molecules. The art of the determination of the endolytic activities of repair enzymes is well developed and skills of artisans high. However, while enablement is not precluded

Application/Control Number: 09/724,296

Ar Unit: 1652

by the necessity for routine screening, if a large amount of screening is required, the

specification must provide a reasonable amount of guidance with respect to the

d rection in which the experimentation should proceed so that the methods used the

c Himed endonucleolytic activities. The unpredictability of specificity of polypeptides of

\$EQ ID NO: 4, 6, and 36-39 towards a specific alkylation or intercalation is high, thus

this experimentation left to those skilled in the art has a low probability of success

at sent the detailed guidance regarding the structure of alkylation and intercalation.

The disclosure fails to provide such guidance regarding which of alkylated

recleotides and intercalations of which intercalating molecules are to be used as the

substrates-lesions for repair enzymes of SEQ ID NO: 4, 6, and 36-39. Without a further

idance on the part of Applicants with regards to the structure of the generic lesions

restited by the claims one skilled in the art is forced to improperly extensive and undue

amperimentation.

Conclusion

No claim is in conditions for allowance, however the claims contain the allowable

subject matter. The following is the examiner reason for allowable subject matter.

Applicants disclose novel activities of the truncated form of the S. pombe

andonuclease of SEQ ID NOs: 4 and 6. Said activities are used in the method of

a eavage a double -stranded DNA containing the following lesions: Dewar isomer of 6-

d photoproduct, abasic site, uracil, dihydrouracil (not recited by the claims),

Page 15

A 1 Jnit: 1652

petinum-DNA GG diadduct, mismatched nucleotide, and loop of less than 5 nucleotides.

As allowable subject matter has been indicated, applicant's reply must either comply with all formal requirements or specifically traverse each requirement not complied with. See 37 CFR 1.111(b) and MPEP § 707.07(a).

Any inquiry concerning this communication or earlier communications from the € xaminer should be directed to Malgorzata A. Walicka, Ph.D., whose telephone number i; (703) 305-7270. The examiner can normally be reached Monday-Friday from 10:00 ¿. n. to 4:30 p.m.

If attempts to reach examiner by telephone are unsuccessful, the examiner's expervisor, Ponnathapura Achutamurthy, Ph.D. can be reached on (703) 308-3804. The fax phone number for this Group is (703) 305-3014.

Any inquiry of a general nature or relating to the status of this application should in directed to the Group receptionists whose telephone number is (703) 308-0196.

√algorzata A. Walicka, Ph.D.

1 t Unit 1652

Patent Examiner

SUPERVISORY PATEUT EVANIMER TECHNOLOGY CONTENTION

			Application/Conf 09/724,296	rol No.	Applicant(s)/Patent Under Reexamination DOETSCH ET AL.					
	dotice of References Cited			Examiner	Art Unit		D=== 4 = 5.4			
			Malgorzata A. V	Valicka	1652	Page 1 of 1				
		*; ************************************	U.	S. PATENT DOCUMENT	rs .					
*		Document Number ::ntry Code-Number-Kind Code	Date MM-YYYY		Name		Classification			
	Α	US								
	В	US								
	С	USI:								
	Q	18-								
	Е	16-								
	F	144								
	G	14.								
	Н	(1)-								
	1	Hi-								
	J	1114								
	К	F11-								
	L	Ji j-		·						
	М	J. Ja								
				EIGN PATENT DOCUM	ENTS		·			
*		Document Number Document Number Duntry Code-Number-Kind Code	Date MM-YYYY	Country	Name		Classification			
	N	, , , , , , , , , , , , , , , , , , , ,								
	0									
	Р									
	a									
	R									
_	s									
	T									
		*		ON-PATENT DOCUMEN		D. H D				
*	-	<del></del>	Include as applicable: Author, Title Date, Publisher, Edition or Volume, Pertinent Pages)							
	U	anno et al. Repair of apurinic/apirimidinic sites by UV damage endonuclease; a repair protein for UV and oxidative damago, fucleic Acid Research, 1999, 27, 3096-3103.								
	V									
	w									
	3					<del></del>				
	×	***								

Notice of References Cited

U.S. Patent a c Trademark Office PTO-892 (IV. 01-2001)

Part of Paper No. 20031229